





Complex Pelvic Triflange Revision

Andrew J. Wassef, MD Lakewood, CA











PATIENT AND DIAGNOSIS

61 year old patient with painful right total hip arthroplasty (THA).

- Primary metal-on-metal (MOM) THA approximately 12 years prior.
- Revision performed by OrthopedicSurgery Specialist (OSS).
- Severe osteolysis with pelvic discontinuity, revision cup with femoral head allograft used.
- Pre-op radiographs show failed revision with progressive protrusion of acetabular component (result of a previous surgery).

TREATMENT

Complex pelvic triflanger revision with structural support and use of CERAMENT® BONE VOID FILLER for reconstitution of medial bone stock.

OUTCOME

At 1 year follow up shows good bone formation and patient is pain free and doing well.



Pre-op: Radiographs show failed revision with progressive protrusion of acetabular component.



Post-op.

FOLLOW UP RADIOGRAPHS





6 Week follow up.





6 Month follow up.





1 Year follow up.

Availability of CERAMENT® is dependent on its regulatory status in individual markets, contact your local representative. For complete product information, including indications, contraindications, warnings, precautions and potential adverse events, see package insert.

BONESUPPORT AB Ideon

117 Fourth Ave, Suite 202

BONESUPPORT US

Needham, MA 02494

Science Park, Scheelevägen 19 SE-223 70 Lund, Sweden

♦ BONESUPPORT[™]

T: +46 46 286 53 70

F: +46 46 286 53 71

T: 1.877.719.6718

W: bonesupport.com

E: info@bonesupport.com

E: us.sales@bonesupport.com

PR 01112-03 AU CA CE US 04-2025